

NEXGO EF60

Version 1.0 Issued September 2026

[NEXGOGLOBAL.COM](https://nexusglobal.com)

© 2026 NEXGO | The information contained in this document is subject to change without notice. All pictures shown are for illustration purpose only, actual product and software may vary. NEXGO and the NEXGO logo are either trademarks or registered trademarks of NEXGO in the China and/or other countries. All other trademarks or brand names are the properties of their respective holders.



EF60

Pioneering fully-integrated
Smart mini ECR





EF60 is a high-performance smart mini ECR with a unique and innovative product architecture. The EF60 offers a dual screen, powered by the latest quad-core processor, running Android 11, and equipped with 4GB RAM + 64GB ROM memory. It can adapt to various retail environments, whether at a traditional checkout counter or in a self-service setting.

Performance

Android 11.0
Quad- Core Processor

Flexible and Versatile

Designed for
Seamless Interactions

Elegant


Modern
Stylish and Simple

Powerful Performance

Equipped with an Quad-core high performance processor and 4G RAM+64G ROM memory. EF60 delivers smooth operations and supports barcode reading, etc. Wi-Fi, wired and wireless connectivity are also supported.

 Quad-core 2.0GHz A55 architecture

 4G RAM + 64G ROM





Innovative Design

The EF60 features a compact product design that is both versatile and flexible, Offering different modes of operation can enhance customer experience by providing options that suit different needs and preferences.

Software and Services


To provide you with more professional and efficient support

Install the Way You Need

The EF60 can adapt to different retail environments. Each mode can contribute to operational efficiency in different ways - countertop mode for staff-assisted checkouts, wall-mounted mode for self-serve or quick transactions and desktop mode for traditional checkouts.

A close-up photograph of the EF60 device in countertop mode. It is a white, compact unit with a blue screen displaying a transaction amount of \$308.80. A person's hand is visible placing a red apple on the counter next to it. The device is sitting on a grey countertop.

Countertop Mode

A photograph showing the EF60 device mounted on a light-colored wall. The device is in a wall-mounted mode, with its screen displaying a transaction amount of \$308.80. The background shows a modern interior with wooden floors and pendant lights.

Installed on the wall

A photograph of the EF60 device in desktop mode. It is a white, compact unit with a blue screen displaying a transaction amount of \$308.80. A man in a white lab coat is standing behind the counter, interacting with the device. A woman is standing in front of the counter, looking at the screen. The background shows a pharmacy or retail store with shelves of products.

Desktop Mode

Multiple Installation Options

Install EF60 in an easy way with a wall-mounted stand or a desktop multi-angle support to fit your businesses.



**75*75
VESA
Installation**




**Multi-angle
Desktop Support**



Ports for Expansion

EF60 extends its connection capabilities and enables to add optional modules to enhance flexibility.



Pro 1D/2D Barcode Reader

Ergonomic

Better card tapping and barcode reading experience




Easy Assembly with Modular Blocks

Simple Maintenance

Versatile payment options: Chip & PIN, contactless, QR code, and mobile payment.



NEXGO



10.1+4 inch Dual Display

One for Your Merchant, One for the Customer.

10.1" IPS touch-screen with a wider viewing angle, EF60 transforms a more accurate color reproduction.



Optical Bonding



Lightness: 280 Nits



PIN-entry on Screen

Internal High Speed Printer

Use the Dallas Key to allow multiple operators to navigate a system more easily.

Built-in 58/80mm high speed thermal printer



Equipped with auto-cutter



160 mm/s print speed



Certifications



EF60 Smart mini ECR

Operating System Powered by Android 11	Communication Wi-Fi,802.11a/b/g/n/ac, 2.4GHz&5GHz BT5.0	Printer HighSpeed Thermal Printer, PaperRoll Width : 80/58mm, Diameter:50mm SupportAutomatic Cutter	PINPad Software PIN Pad Blind PIN Supported
Processors Quad-core A55, 2.0GHz	Card Readers Chip Cards Contactless Cards	Keys 1 Power Key	Physical Countertop: 277mm (L) x 252mm(W) x 86mm(H) Self-stand: 277mm (L) x 78mm(W) x 252mm(H)
Memory 4GB RAM + 64GB ROM (Micro SD Card Supported, up to 128GB)	Peripheral Ports 4 x Type-A USB 1 x Type-C USB OTG 1 x RJ45, LAN 1 x RJ12, Cash Drawer 1 x DC, 1 x Audio Jack 3.5mm 2 x RS232	Audio 1x Speaker 1x Microphone	Display Main: 10.1" (1280 x 800) Color Screen, Capacitive Touchscreen Customer Facing Display:4.0" (480*480)Color Screen Capacitive Touchscreen
Card Slots 1 x TF Card	Certifications CE,FCC EMV3.0,L1&L2,Quickpass, Paypass,PayWave,JCB,AMEX,Disc over,TQM; PCI6.X	Accessories ScanningModule(Built-in) NFCReader DallasKey Custom-madeFiscal Unit Extension	Environmental Operating Temperature : 0°C to 50°C Storage Temperature : -20°C to 70°C
Adaptor DC 12V/7A			

THANK YOU!

NEXGOGLOBAL.COM

© 2026 NEXGO

